

APPENDIX A

NCAA Division II Competition Standards

Basketball and Volleyball – Gymnasium Flooring

General Compliance

All sanding, finishing, painting, and curing shall comply with **NCAA Division II competition requirements, NFHS rules**, and industry best practices for collegiate athletic facilities. The completed floor must be suitable for **intercollegiate basketball and volleyball competition** and approved for athletic use by Washburn University.

Floor Finish Requirements

- Finish shall be a **gymnasium-grade athletic floor finish** specifically manufactured for competitive sports use.
- Finish must provide:
 - **Consistent traction** suitable for basketball and volleyball
 - **Non-slip, non-sticky performance**
 - Resistance to scuffing, abrasion, and perspiration
- Finish must be **compatible with NCAA and NFHS competition play**
- Contractor shall provide manufacturer documentation verifying athletic use compliance.

Surface Performance

- Floor shall be sanded to a **uniform, level surface** free of chatter marks, drum marks, or irregularities.
- Final surface shall allow **safe pivoting, lateral movement, and jumping** without excessive grip or slickness.
- Floor shall be fully cured prior to use for athletic activity in accordance with manufacturer recommendations.

Game Line Painting – Basketball

- Basketball court layout shall comply with **NCAA Division II basketball court dimensions**.

- Lines shall be painted in accordance with current NCAA rules, including:
 - Regulation court size
 - Center circle, free throw lanes, three-point arc, and boundary lines
- Line width shall be **2 inches**, unless otherwise directed by the University.
- Line colors shall be approved by Washburn University Athletics.

Game Line Painting – Volleyball

- Volleyball court markings shall comply with **NCAA Division II volleyball regulations**, including:
 - Regulation court dimensions
 - Attack lines, centerline, sidelines, and end lines
- Volleyball lines shall be a **distinct color** from basketball lines.
- Line width shall be **2 inches**, unless otherwise directed by the University.

Logos and Graphics

- Center court logos, conference logos, and institutional graphics shall be applied per **University-provided drawings and specifications**.
- Paint systems used for logos shall be compatible with the finish system and not affect surface performance.

Curing and Use Restrictions

- Contractor shall adhere to manufacturer-recommended **drying and curing times**.
- No athletic use shall be permitted until the floor has fully cured and been approved by Washburn University.

Warranty and Performance Assurance

- Contractor shall warrant that the floor finish and line paint will:
 - Maintain proper athletic performance
 - Not prematurely peel, chip, or wear
 - Remain suitable for NCAA Division II competition for the warranty period